



## U/UTP 4 Pair Cat6 23awg Solid LSZH Sheath Yellow (550MHz)

| Date                                      |   |                        |   |                  | Product Code  |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|---|---|------------------------|---|------------------|---|-----------------|--------|---------|----------|-----------|---|------|------|------|--------|-----|------|------|------|--------|-----|------|------|------|--------|------|------|------|------|--------|------|------|------|------|--------|------|------|------|------|--------|------|------|------|------|--------|-------|------|-------|------|--------|------|------|-------|------|--------|-----|------|-------|------|--------|-----|------|-------|------|--------|-----|------|-------|------|--------|------|------|-------|------|--------|------|------|-------|------|-------|
| 01.01.2015                                |   |                        |   |                  | <b>39 3609</b>  |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Sheath Printing                           | VELOCITY PREMIUM CAT6 U/UTP 23AWG SOLID LSZH 4PR ANSI/EI-568-C.2 AND ISO/IEC 11801 ****M MM/DD/YYYY |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Order Code                                | 39 3609   |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Category                                  | U/UTP CAT6-4P-LSZH  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Test Standard                             | ISO/IEC11801、TIA-568-C.2、YD/T1019   |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Conductor                                 | Material  | SOLID-Bare Copper      |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Nom.O.D.(mm)  | 0.550                  | up<br>down                                    | +0.005<br>-0.005 |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Insulation                                | Material  | HDPE                   |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Diameter  | 0.98±0.03mm            |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Sheath                                    | Thickness   | 0.55±0.05 mm           |   |                  | <b>Technical Performance (100m):</b><br><table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Frequency (MHz)</th> <th>RL ≥dB</th> <th>ATT ≤dB</th> <th>NEXT ≤dB</th> <th>DELAY ≤ns</th> </tr> </thead> <tbody> <tr><td>1</td><td>20.0</td><td>2.03</td><td>74.3</td><td>570.00</td></tr> <tr><td>4.0</td><td>23.0</td><td>3.78</td><td>65.3</td><td>552.00</td></tr> <tr><td>8.0</td><td>24.5</td><td>5.32</td><td>60.8</td><td>546.73</td></tr> <tr><td>10.0</td><td>25.0</td><td>5.95</td><td>59.3</td><td>545.38</td></tr> <tr><td>16.0</td><td>25.0</td><td>7.55</td><td>56.2</td><td>543.00</td></tr> <tr><td>20.0</td><td>25.0</td><td>8.47</td><td>54.8</td><td>542.05</td></tr> <tr><td>25.0</td><td>24.3</td><td>9.51</td><td>53.3</td><td>541.20</td></tr> <tr><td>31.25</td><td>23.6</td><td>10.67</td><td>52.0</td><td>540.44</td></tr> <tr><td>62.5</td><td>21.5</td><td>15.38</td><td>47.4</td><td>538.55</td></tr> <tr><td>100</td><td>20.1</td><td>19.80</td><td>44.3</td><td>537.60</td></tr> <tr><td>200</td><td>18.0</td><td>28.98</td><td>39.8</td><td>536.54</td></tr> <tr><td>250</td><td>17.3</td><td>32.85</td><td>38.3</td><td>536.27</td></tr> <tr><td>*350</td><td>16.3</td><td>39.79</td><td>36.1</td><td>535.92</td></tr> <tr><td>*550</td><td>14.9</td><td>51.76</td><td>33.2</td><td>535.5</td></tr> </tbody> </table> | Frequency (MHz) | RL ≥dB | ATT ≤dB | NEXT ≤dB | DELAY ≤ns | 1 | 20.0 | 2.03 | 74.3 | 570.00 | 4.0 | 23.0 | 3.78 | 65.3 | 552.00 | 8.0 | 24.5 | 5.32 | 60.8 | 546.73 | 10.0 | 25.0 | 5.95 | 59.3 | 545.38 | 16.0 | 25.0 | 7.55 | 56.2 | 543.00 | 20.0 | 25.0 | 8.47 | 54.8 | 542.05 | 25.0 | 24.3 | 9.51 | 53.3 | 541.20 | 31.25 | 23.6 | 10.67 | 52.0 | 540.44 | 62.5 | 21.5 | 15.38 | 47.4 | 538.55 | 100 | 20.1 | 19.80 | 44.3 | 537.60 | 200 | 18.0 | 28.98 | 39.8 | 536.54 | 250 | 17.3 | 32.85 | 38.3 | 536.27 | *350 | 16.3 | 39.79 | 36.1 | 535.92 | *550 | 14.9 | 51.76 | 33.2 | 535.5 |
|   | Frequency (MHz)   | RL ≥dB                 | ATT ≤dB                                       | NEXT ≤dB         |   | DELAY ≤ns       |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | 1   | 20.0                   | 2.03  | 74.3             |   | 570.00          |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | 4.0   | 23.0                   | 3.78  | 65.3             |   | 552.00          |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | 8.0   | 24.5                   | 5.32  | 60.8             |   | 546.73          |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 10.0                                      | 25.0  | 5.95                   | 59.3  | 545.38           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 16.0                                      | 25.0  | 7.55                   | 56.2  | 543.00           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 20.0                                      | 25.0  | 8.47                   | 54.8  | 542.05           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 25.0                                      | 24.3  | 9.51                   | 53.3  | 541.20           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 31.25                                     | 23.6  | 10.67                  | 52.0  | 540.44           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 62.5                                      | 21.5  | 15.38                  | 47.4  | 538.55           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 100                                       | 20.1  | 19.80                  | 44.3  | 537.60           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 200                                       | 18.0  | 28.98                  | 39.8  | 536.54           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| 250                                       | 17.3  | 32.85                  | 38.3  | 536.27           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| *350                                      | 16.3  | 39.79                  | 36.1  | 535.92           |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| *550                                      | 14.9  | 51.76                  | 33.2  | 535.5            |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| External O.D.                             | 6.1±0.4 mm  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Surface                                   | Clean,Frap,Satiation  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Material                                  | LSZH - Complies RoHS,CMR  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Color                                     | Yellow RAL1021  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Surface Printing                          | Letter height   | 3.0±0.3mm              |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Color   | Black                  |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Print error & Space   | ≤±0.5%, 1m             |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Core Color                                | 1 White- Blue /Blue   | 2 White-Orange /Orange |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | 3 White-Green /Green  | 4 White- Brown /Brown  |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Packing                                   | Reelex  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Carton dimension                          | Standard Box  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Packing length                            | 305±1.5m  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Rip-cord                                  | Yes   | Drain wire             | No  |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Before Aging Tensile Strength (Mpa) ≥13.5   |                        | Elongation(%) ≥150                            |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Sheath Physical Properties                | Aging Period (°C×hrs) 100°C×24h×7d  |                        | After Aging Tensile Strength(Mpa) ≥12.5       |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | Elongation(%) ≥125                            |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | Cold bend(-20±2°C×4h) 8×Cable O.D., No visible cracks   |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | DC Resistance (Ω/100m) max 9.5                |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | DC Conductor Resistance Unbalance (%) max 5.0 |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Electrical Characteristics (20°C)         | 1.0-250.0MHz Impedance ((Ω) 100±15  |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   | 1.0-250.0MHz Delay Shew (ns/100m) ≤45   |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | PSNEXT ≤dB                                    |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | ELFEXT ≤dB                                    |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
|   |   |                        | PSELFEXT ≤dB                                  |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |
| Note: Remarks: * are the reference values |   |                        |   |                  |   |                 |        |         |          |           |   |      |      |      |        |     |      |      |      |        |     |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |      |      |      |      |        |       |      |       |      |        |      |      |       |      |        |     |      |       |      |        |     |      |       |      |        |     |      |       |      |        |      |      |       |      |        |      |      |       |      |       |